2012 JUN 13 AM 9: 04

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

The Fe confide must be	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed: <u>6/8/12</u>
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Bolivor Commercial Deta Published (0 /8 /12)
	Date Published: 6 /8 /12
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
<u>CERT</u>	<u>IFICATION</u>
CO11S1S1	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in m and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply.
Name	Title (President, Mayor, Owner, etc.) Lo-12-12 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

7 M

2012 MAY 15 PM 4:58

2011 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060047, 0060050 & 0060051 May 2012

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

valued customers to	be informed ab		y. If you want to lea	please contact Mike it arn more, please atte	arver at 662.843.2320 nd a special meeting	
drinking water contain wasn't required in 20 naturally occurring more animals or from huseptic systems, agricoccurring or result from farming; pesticides a residential uses; organized processes and petro be naturally occurring EPA prescribes reguincluding bottled drin	minants that were that the table reflainerals and, in suman activity; midultural livestock from urban storm and herbicides, anic chemical colleum production g or be the resultations that limit liking water, may	re detected during the lects the most recent come cases, radioact crobial contaminants operations, and wild newater runoff, industrial which may come frontaminants, including and can also come to foil and gas produte amount of certain be reasonably expe	te period of January results. As water traitive materials and containing a containing a variety of sought synthetic and volate from gas stations uction and mining a n contaminants in voted to contain at less	Federal and State la / 1st to December 31st vavels over the surface an pick up substances and bacteria, that may suminants, such as salt vastewater discharges arces such as agriculatile organic chemicals and septic systems; and septic systems; activities. In order to exater provided by pubseast small amounts of ate that the water pose	t, 2011. In cases whe of land or undergrous or contaminants from sewage tress and metals, which conditions, which are by-product ture, urban storm-was, which are by-product adioactive contaminals water that tap water is some constituents. If	ere monitoring nd, it dissolves n the presence eatment plants, an be naturally ion, mining, or ter runoff, and ots of industrial nts, which can s safe to drink, drinking water,
In this table you will f provided the following		and abbreviations yo	ou might not be fami	liar with. To help you	better understand the	se terms we've

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#	0060044			TEST RESUI	LTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

8. Arsenic	N	2011	.6	No Range		ppb	n/a	10	D Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.016	No Range		ppm	2	-	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/1	1 .1	0		ppm	1.3	AL=1.0	B Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.177	No Range		ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/1	3	0		ppb	. 0	AL=1	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	3	No Range	!	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfectio	n By-	Product	S						
81. HAA5	N	2011	27	No Range	ppb		0	60	By-Product of drinking water disinfection.
32. TTHM Total rihalomethanes]	N	2011	7.81	No Range	ppb		0	80	By-product of drinking water chlorination.
Chlorine	N	2011	.30	.2050	ppm		0 MD		Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
8. Arsenic	N	2011	1.3	No Range	ppb	n/a	10	Erosion of natural deposits; runo from orchards; runoff from glass and electronics production waste
10. Barium	N	2011	.014	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	.9	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.173	No Range	ppm	4	4	Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2009/11	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	6.4	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines

81. HAA5	N	2011	18	No Range	ppb	0	60	By-Product of drinking water disinfection.
Chlorine	N	2011	.4	.2050	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID#	006005	0		TEST RES	SULTS			
Contaminant	Violatior Y/N	Date Collected	Level Detected	Range of Detect # of Samples Exceeding MCL/ACL		MCLG	MCL	Likely Source of Contamination
Inorganic	Contan	ninants						
8. Arsenic	N	2011	1.3	No Range	ppb	n/a	10	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production waste
10. Barium	N	2011	.014	No Range	ppm	2	2	 Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	3.1	.7 – 3.1	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11	.4	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.17	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2009/11	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	5	4.7 - 5	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	on By-Pi	roducts						
81. HAA5			10 N	lo Range p	opb	0	60	By-Product of drinking water disinfection.
Chlorine	N	2011 .	30	2055 p	opm	0 MD		Water additive used to control microbes

PWS ID#	0000001			TEST RESU				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants					-	
8. Arsenic	N	2011	.001	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.014	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	4	.8 - 4	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.175	.169 - 1.75	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories

17. Lead	N	2009*	7	0	ppb		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	7.2	4.5 – 7.2	ppb		50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfect	ion By-	Produc	ts						
81. HAA5	N	2011	10	No Range	ppb	0			By-Product of drinking water disinfection.
Chlorine	N	2011	.30	.2545	ppm	0	MDF		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Boyle Skene Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: This consumer confidence report will not be mailed out to customer individually. It will be printed in a local newspaper.

2011 Annual Drinking Water Quality Report Boyle Skene Water Association PWS#: 0060044, 0060050, 0060050 & 0060051 May 2012

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Sparta Sand Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Boyle Skene Water Association have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Mike Tarver at 662.843.2320. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the CCR meeting being held on June 19, 2012 at 5:30 at the office located at 803 North Chrisman Ave Cleveland, MS

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1⁴¹ to December 31⁴², 2011. In cases where monitoring water contaminants that were detected during the period of January 1⁴¹ to December 31⁴², 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria. that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) — The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

	060044		1	Range of Detects	or Unit	MCLG	MCL	Likely Source of Contamination
Contaminant	Violation Y/N	Date Collected	Level Detected	# of Samples		I WOLG	\$100 to 100 to 1	
Inorganic C	Contam	inants	Section Section	gerania ada Sangerig Jingkolitika Takabiya				
8. Arsenic	N	2011	.6	No Range	ppb	n/a	10	Erosion of natural deposits, runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.016	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	- 1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems, erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	177	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11	3	0	ppb	0	AL≔15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	3	No Range	bbp	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	ı By-Pr	oducts				erio Vitable dis Vitables dis	e gagara	
81. HAA5	N	2011	27 1	No Range	ppb	0		By-Product of drinking water disinfection.
B2. TTHM [Total trihalomethanes]	N	2011	7.81	Vo Range	ррь	0	80	By-product of drinking water chlorination.
Chlorine	N	2011	30 .	2050	ppm	0 MI	ORL ≈ 4	Water additive used to control microbes

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic (Contami	nants			s seedo da Caranta		dig bilah sal Mga balista	erinkalis (n. 12. januar) series (n. 17. j K. Piller (n. 15. januar) derengan geler
8. Arsenic	N	2011	1.3	No Range	ppb	n/a	10	Erosion of natural deposits; runof from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.014	No Range	ppm	2	2	Discharge of drilling wastes: discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	.9	No Range	bbp	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14 Copper	N.	2009/11	.3		ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.173	No Range	ppm	4	4	Erosion of natural deposits; wate additive which promotes strong teeth; discharge from fertilizer an aluminum factories
17. Lead	N	2009/11	1	0	рръ	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	6.4	No Range	dad	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines

ppm

By-Product of drinking water

MORL = 4

Water additive used to control microbes

No Range

20 - .50

81. HAA5

Chlorine

2011

2011

N .

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	ontam	inants	t sugar etger					
8. Arsenia	N	2011	1.3	No Range	ppb	n/a	10	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
IO. Barium	N	2011	.014	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	3.1	7 – 3.1	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009/11	4	0, 1 (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
6. Fluoride	N	2011	.17	No Range	ppm	1 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	aging m 4 a to a see ji de	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009/11	2	0.0000000000000000000000000000000000000	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2011	5	4.7 - 5	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natura deposits; discharge from mines
Disinfection	Bv-Pi	oducts	Ta Assassa	a project social and a pressor	1,3801.3	4 3 14	yw. y	
81. HAA6	N .		10	No Range ppb		0	60	By-Product of drinking water disinfection.
Chlorine	N .	2011	.30	20 - 55 ppm	L 44 (88)	0 MD	RL = 4	Water additive used to control microbes

PWSID#	0060051		2000	TEST RESU	LTS	aping yang Nan Kanga	alana. Mana	
Contaminant	Violation Y/N		Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants	40 47 c	engan kura - makarany Sanan makaranya	. 15.1/100	Amerika Sameraka	Arto Ye Salaharan	्रायाः हिन्दाः हिन्दान् । इतिहासक्
8. Arsenic	N	2011	.001	No Range	ppb	n/a	10	D Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2011	.014	No Range	ppm	2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2011	4	8-4	ppb	100	100	O Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2009*	.5	Construction of the constr	ppm	1.3	AL=1.	3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2011	.175	.169 - 1.75	ppm	5 e 15 gr 15gd, 25d		4 Erosion of natural deposits, water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2009*	7	0	ppb	0	AL=1	5 Corrosion of household plumbing
	KA KANTANAN	1 93543. 17						systems, erosion of natural deposits
21. Selenium	N	2011	7.2	4.5 - 7.2	ppb	50	50	D Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfectio	n By-Pr	oducts	V (1494.9K)	0 1987 (1995) (1995) 300 (1995) (1995)	systems and a decident	ner verske Legender of	sata li Aqeli Mari	MERCHANIST SECTION OF SECTION OF
81. HAA5	N	2011	10	No Range ppb	0.350	0	60	By-Product of drinking water disinfection.
Chlorine	N	2011	30	2545 ppn	11. ye ()	0 MD	RL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Leac in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supplies were requires to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not complieded the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Boyle Skene Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: This consumer confidence report will not be mailed out to customer individually. It will be printed in a local newspaper